

[2009]

Thomalla G, Audebert HJ, Berger K, Fiebach JB, Fiehler J, Kaps M, Neumann-Haefelin T, Schellinger PD, Siebler M, Sobesky J, Villringer A, Witte OW, Rother J. Imaging in Stroke - An Overview and Recommendations from the German Competence Network Stroke. *AKTUEL NEUROL*. 2009;36(7): 354-367

Neuner B, Komm A, Wellmann J, Dietzel M, Pauleikhoff D, Walter J, Busch M, Hense HW. Smoking history and the incidence of age-related macular degeneration--results from the Muenster Aging and Retina Study (MARS) cohort and systematic review and meta-analysis of observational longitudinal studies. *Addict Behav*. 2009;34(11): 938-47

Aït-Khaled N, Pearce N, Anderson HR, Ellwood P, Montefort S, Shah J, ISAAC Phase Three Study Group. Global map of the prevalence of symptoms of rhinoconjunctivitis in children: The International Study of Asthma and Allergies in Childhood (ISAAC) Phase Three. *Allergy*. 2009;64(1): 123-48

Cooney MT, Dudina A, De Bacquer D, Wilhelmsen L, Sans S, Menotti A, De Backer G, Jousilahti P, Keil U, Thomsen T, Whincup P, Graham IM, SCORE investigators. HDL cholesterol protects against cardiovascular disease in both genders, at all ages and at all levels of risk. *Atherosclerosis*. 2009;206(2): 611-6

Flohr C, Weinmayr G, Weiland SK, Addo-Yobo E, Annesi-Maesano I, Björkstén B, Bråbäck L, Büchele G, Chico M, Cooper P, Clausen M, El Sharif N, Martinez Gimeno A, Mathur RS, von Mutius E, Morales Suarez-Varela M, Pearce N, Svabe V, Wong GW, Yu M, Zhong NS, Williams HC, ISAAC Phase Two Study Group. How well do questionnaires perform compared with physical examination in detecting flexural eczema? Findings from the International Study of Asthma and Allergies in Childhood (ISAAC) Phase Two. *Br J Dermatol*. 2009;161(4): 846-53

Pfaffenrath V, Fendrich K, Vennemann M, Meisinger C, Ladwig KH, Evers S, Straube A, Hoffmann W, Berger K. Regional variations in the prevalence of migraine and tension-type headache applying the new IHS criteria: the German DMKG Headache Study. *Cephalalgia*. 2009;29(1): 48-57

Winter AC, Berger K, Buring JE, Kurth T. Body mass index, migraine, migraine frequency and migraine features in women. *Cephalalgia*. 2009;29(2): 269-78

Genuneit J, Cantelmo JL, Weinmayr G, Wong GW, Cooper PJ, Riiikjäär MA, Gotua M, Kabesch M, von Mutius E, Forastiere F, Crane J, Nystad W, El-Sharif N, Batlles-Garrido J, García-Marcos L, García-Hernández G, Morales-Suarez-Varela M, Nilsson L, Bråbäck L, Saraçlar Y, Weiland SK, Cookson WO, Strachan D, Moffatt MF, ISAAC Phase 2 Study Group.

A multi-centre study of candidate genes for wheeze and allergy: the International Study of Asthma and Allergies in Childhood Phase 2. *Clin Exp Allergy*. 2009;39(12): 1875-88

Brunekreef B, Stewart AW, Anderson HR, Lai CK, Strachan DP, Pearce N, ISAAC Phase 3 Study Group. Self-reported truck traffic on the street of residence and symptoms of asthma and allergic disease: a global relationship in ISAAC phase 3. *Environ Health Perspect*. 2009;117(11): 1791-8

Stritzke J, Linsel-Nitschke P, Markus MR, Mayer B, Lieb W, Luchner A, Döring A, Koenig W, Keil U, Hense HW, Schunkert H, MONICA/KORA Investigators.

Association between degenerative aortic valve disease and long-term exposure to cardiovascular risk factors: results of the longitudinal population-based KORA/MONICA survey. *Eur Heart J*. 2009;30(16): 2044-53

Cooney MT, Dudina A, De Bacquer D, Fitzgerald A, Conroy R, Sans S, Menotti A, De Backer G, Jousilahti P, Keil U, Thomsen T, Whincup P, Graham I, SCORE Investigators.

How much does HDL cholesterol add to risk estimation? A report from the SCORE Investigators. *Eur J Cardiovasc Prev Rehabil*. 2009;16(3): 304-14

Kotseva K, Wood D, De Backer G, De Bacquer D, Pyörälä K, Keil U, EUROASPIRE Study Group.

EUROASPIRE III: a survey on the lifestyle, risk factors and use of cardioprotective drug therapies in coronary patients from 22 European countries. *Eur J Cardiovasc Prev Rehabil*. 2009;16(2): 121-37

Völzke H, Stritzke J, Kuch B, Schmidt CO, Lüdemann J, Döring A, Schunkert H, Hense HW. Regional differences in the prevalence of left ventricular hypertrophy within Germany. *Eur J Cardiovasc Prev Rehabil*. 2009;16(3): 392-400

Nagel G, Büchele G, Weinmayr G, Björkstén B, Chen YZ, Wang H, Nystad W, Saraclar Y, Bråbäck L, Battles-Garrido J, Garcia-Hernandez G, Weiland SK, ISAAC Phase II Study Group.

Effect of breastfeeding on asthma, lung function and bronchial hyperreactivity in ISAAC Phase II. *Eur Respir J*. 2009;33(5): 993-1002

Farwick A, Dasch B, Weber BH, Pauleikhoff D, Stoll M, Hense HW.

Variations in five genes and the severity of age-related macular degeneration: results from the Muenster aging and retina study. *Eye*. 2009;23(12): 2238-44

Greve B, Hoffmann P, Illes Z, Rozsa C, Berger K, Weissert R, Melms A.

The autoimmunity-related polymorphism PTPN22 1858C/T is associated with anti-titin antibody-positive myasthenia gravis. *Hum Immunol*. 2009;70(7): 540-2

Ellwood P, Williams H, Ait-Khaled N, Björkstén B, Robertson C, ISAAC Phase III Study Group.

Translation of questions: the International Study of Asthma and Allergies in Childhood (ISAAC) experience. *Int J Tuberc Lung Dis*. 2009;13(9): 1174-82

Foliaki S, Pearce N, Björkstén B, Mallol J, Montefort S, von Mutius E, International Study of Asthma and Allergies in Childhood Phase III Study Group.

Antibiotic use in infancy and symptoms of asthma, rhinoconjunctivitis, and eczema in children 6 and 7 years old: International Study of Asthma and Allergies in Childhood Phase III. *J Allergy Clin Immunol*. 2009;124(5): 982-9

Odhiambo JA, Williams HC, Clayton TO, Robertson CF, Asher MI, ISAAC Phase Three Study Group.

Global variations in prevalence of eczema symptoms in children from ISAAC Phase Three. *J Allergy Clin Immunol*. 2009;124(6): 1251-8.e23

Stritzke J, Markus MR, Duderstadt S, Lieb W, Luchner A, Döring A, Keil U, Hense HW, Schunkert H, MONICA/KORA Investigators.

The aging process of the heart: obesity is the main risk factor for left atrial enlargement during aging the MONICA/KORA (monitoring of trends and determinations in cardiovascular

disease/cooperative research in the region of Augsburg) study. J Am Coll Cardiol. 2009;54(21): 1982-9

Baune BT, Schmidt WP, Roesler A, Berger K.
Functional consequences of subcortical white matter lesions and MRI-defined brain infarct in an elderly general population. J Geriatr Psychiatry Neurol. 2009;22(4): 266-73

Baune BT, Ponath G, Rothermundt M, Roesler A, Berger K.
Association between cytokines and cerebral MRI changes in the aging brain. J Geriatr Psychiatry Neurol. 2009;22(1): 23-34

Baune BT, Roesler A, Knecht S, Berger K.
Single and combined effects of cerebral white matter lesions and lacunar infarctions on cognitive function in an elderly population. J Gerontol B Psychol Sci Soc Sci. 2009;64(1): 118-24

Knecht S, Wersching H, Lohmann H, Berger K, Ringelstein EB.
How much does hypertension affect cognition?: explained variance in cross-sectional analysis of non-demented community-dwelling individuals in the SEARCH study. J Neurol Sci. 2009;283(1-2): 149-52

Pham TD, Eisenblätter U, Baune BT, Berger K.
Preprocessing film-copied MRI for studying morphological brain changes. J Neurosci Methods. 2009;180(2): 352-62

Kotseva K, Wood D, De Backer G, De Bacquer D, Pyörälä K, Keil U, EUROASPIRE Study Group.
Cardiovascular prevention guidelines in daily practice: a comparison of EUROASPIRE I, II, and III surveys in eight European countries. Lancet. 2009;373(9667): 929-40

Schneider K, Heise M, Heuschmann P, Berger K.
Situation of life and care in patients with a stroke. NERVENHEILKUNDE. 2009;28(3): 114-118

Gudbjartsson DF, Holm H, Gretarsdottir S, Thorleifsson G, Walters GB, Thorgeirsson G, Gulcher J, Mathiesen EB, Njølstad I, Nyrnes A, Wilsgaard T, Hald EM, Hveem K, Stoltenberg C, Kucera G, Stubblefield T, Carter S, Roden D, Ng MC, Baum L, So WY, Wong KS, Chan JC, Gieger C, Wichmann HE, Gschwendtner A, Dichgans M, Kuhlenbäumer G, Berger K, Ringelstein EB, Bevan S, Markus HS, Kostulas K, Hillert J, Sveinbjörnsdóttir S, Valdimarsson EM, Løchen ML, Ma RC, Darbar D, Kong A, Arnar DO, Thorsteinsdóttir U, Stefansson K.
A sequence variant in ZFX3 on 16q22 associates with atrial fibrillation and ischemic stroke. Nat Genet. 2009;41(8): 876-8

Myocardial Infarction Genetics Consortium , Kathiresan S, Voight BF, Purcell S, Musunuru K, Ardissino D, Mannucci PM, Anand S, Engert JC, Samani NJ, Schunkert H, Erdmann J, Reilly MP, Rader DJ, Morgan T, Spertus JA, Stoll M, Girelli D, McKeown PP, Patterson CC, Siscovick DS, O'Donnell CJ, Elosua R, Peltonen L, Salomaa V, Schwartz SM, Melander O, Altshuler D, Ardissino D, Merlini PA, Berzuini C, Bernardinelli L, Peyvandi F, Tubaro M, Celli P, Ferrario M, Fève R, Marziliano N, Casari G, Galli M, Ribichini F, Rossi M, Bernardi F, Zonzin P, Piazza A, Mannucci PM, Schwartz SM, Siscovick DS, Yee J, Friedlander Y, Elosua R, Marrugat J, Lucas G, Subirana I, Sala J, Ramos R, Kathiresan S, Meigs JB, Williams G, Nathan DM, MacRae CA, O'Donnell CJ, Salomaa V, Havulinna AS, Peltonen L, Melander O, Berglund G, Voight BF, Kathiresan S, Hirschhorn JN, Asselta R, Duga S, Spreafico M, Musunuru K, Daly MJ, Purcell S, Voight BF, Purcell S, Nemesh J, Korn JM, McCarroll SA, Schwartz SM, Yee J, Kathiresan S, Lucas G, Subirana I, Elosua R, Surti A, Guiducci C,

Gianniny L, Mirel D, Parkin M, Burt N, Gabriel SB, Samani NJ, Thompson JR, Braund PS, Wright BJ, Balmforth AJ, Ball SG, Hall AS, Wellcome Trust Case Control Consortium, Schunkert H, Erdmann J, Linsel-Nitschke P, Lieb W, Ziegler A, König I, Hengstenberg C, Fischer M, Stark K, Grosshennig A, Preuss M, Wichmann HE, Schreiber S, Schunkert H, Samani NJ, Erdmann J, Ouwehand W, Hengstenberg C, Deloukas P, Scholz M, Cambien F, Reilly MP, Li M, Chen Z, Wilensky R, Matthai W, Qasim A, Hakonarson HH, Devaney J, Burnett MS, Pichard AD, Kent KM, Satler L, Lindsay JM, Waksman R, Epstein SE, Rader DJ, Scheffold T, Berger K, Stoll M, Häge A, Girelli D, Martinelli N, Olivieri O, Corrocher R, Morgan T, Spertus JA, McKeown P, Patterson CC, Schunkert H, Erdmann E, Linsel-Nitschke P, Lieb W, Ziegler A, König IR, Hengstenberg C, Fischer M, Stark K, Grosshennig A, Preuss M, Wichmann HE, Schreiber S, Hölm H, Thorleifsson G, Thorsteinsdottir U, Stefansson K, Engert JC, Do R, Xie C, Anand S, Kathiresan S, Ardissino D, Mannucci PM, Siscovick D, O'Donnell CJ, Samani NJ, Melander O, Elosua R, Peltonen L, Salomaa V, Schwartz SM, Altshuler D.

Genome-wide association of early-onset myocardial infarction with single nucleotide polymorphisms and copy number variants. *Nat Genet.* 2009;41(3): 334-41

Richter D, Berger K.

[Psychological consequences of patient assaults on mental health staff : Prospective and retrospective data.] *Nervenarzt.* 2009;80(1): 68-73

Biermann M, Pixberg M, Riemann B, Schuck A, Heinecke A, Schmid KW, Willich N, Dralle H, Schober O, MSDS study group.

Clinical outcomes of adjuvant external-beam radiotherapy for differentiated thyroid cancer - results after 874 patient-years of follow-up in the MSDS-trial. *Nuklearmedizin.* 2009;48(3): 89-98

Zeimer M, Hense HW, Heimes B, Austermann U, Fobker M, Pauleikhoff D.

[The macular pigment: short- and intermediate-term changes of macular pigment optical density following supplementation with lutein and zeaxanthin and co-antioxidants : The LUNA Study.] *Ophthalmologie.* 2009;106(1): 29-36

Richter D, Baune BT, Vennemann M, Berger K.

[Suicides and social neighbourhood characteristics: an ecological analysis in an urban German area] *Psychiatr Prax.* 2009;36(3): 137-41

Baune BT, Caniato RN, Arolt V, Berger K.

The effects of dysthymic disorder on health-related quality of life and disability days in persons with comorbid medical conditions in the general population. *Psychother Psychosom.* 2009;78(3): 161-6

Weigel S, Batzler WU, Decker T, Hense HW, Heindel W.

First epidemiological analysis of breast cancer incidence and tumor characteristics after implementation of population-based digital mammography screening. *Rofo.* 2009;181(12): 1144-50

Fibrinogen Studies Collaboration.

Correcting for multivariate measurement error by regression calibration in meta-analyses of epidemiological studies. *Stat Med.* 2009;28(7): 1067-92

Fibrinogen Studies Collaboration, Jackson D, White I, Kostis JB, Wilson AC, Folsom AR, Wu K, Chambless L, Benderly M, Goldbourt U, Willeit J, Kiechl S, Yarnell JW, Sweetnam PM, Elwood PC, Cushman M, Psaty BM, Tracy RP, Tybjaerg-Hansen A, Haverkate F, de Maat MP, Thompson SG, Fowkes FG, Lee AJ, Smith FB, Salomaa V, Harald K, Rasi V, Vahtera E, Jousilahti P, D'Agostino R, Kannel WB, Wilson PW, Tofler G, Levy D, Marchioli R, Valagussa

F, Rosengren A, Wilhelmsen L, Lappas G, Eriksson H, Cremer P, Nagel D, Curb JD, Rodriguez B, Yano K, Salonen JT, Nyyssönen K, Tuomainen TP, Hedblad B, Engström G, Berglund G, Loewel H, Koenig W, Hense HW, Meade TW, Cooper JA, De Stavola B, Knottenbelt C, Miller GJ, Cooper JA, Bauer KA, Rosenberg RD, Sato S, Kitamura A, Naito Y, Iso H, Salomaa V, Harald K, Rasi V, Vahtera E, Jousilahti P, Palosuo T, Ducimetiere P, Amouyel P, Arveiler D, Evans AE, Ferrieres J, Juhan-Vague I, Bingham A, Schulte H, Assmann G, Cantin B, Lamarche B, Despres JP, Dagenais GR, Tunstall-Pedoe H, Lowe GD, Woodward M, Ben-Shlomo Y, Davey Smith G, Palmieri V, Yeh JL, Meade TW, Rudnicka A, Brennan P, Knottenbelt C, Cooper JA, Ridker P, Rodeghiero F, Toso A, Shepherd J, Lowe GD, Ford I, Robertson M, Brunner E, Shipley M, Feskens EJ, Di Angelantonio E, Kaptoge S, Lewington S, Lowe GD, Sarwar N, Thompson SG, Walker M, Watson S, White IR, Wood AM, Danesh J.

Systematically missing confounders in individual participant data meta-analysis of observational cohort studies. *Stat Med.* 2009;28(8): 1218-37

Fibrinogen Studies Collaboration.

Measures to assess the prognostic ability of the stratified Cox proportional hazards model. *Stat Med.* 2009;28(3): 389-411

Busch MA, Lutz K, Röhl JE, Neuner B, Masuhr F.

Low ankle-brachial index predicts cardiovascular risk after acute ischemic stroke or transient ischemic attack. *Stroke.* 2009;40(12): 3700-5

Minnerup J, Heidrich J, Rogalewski A, Schäbitz WR, Wellmann J.

The efficacy of erythropoietin and its analogues in animal stroke models: a meta-analysis. *Stroke.* 2009;40(9): 3113-20

Ritter MA, Kimmeyer P, Heuschmann PU, Dziewas R, Dittrich R, Nabavi DG, Ringelstein EB. Blood pressure threshold violations in the first 24 hours after admission for acute stroke: frequency, timing, predictors, and impact on clinical outcome. *Stroke.* 2009;40(2): 462-8

Wang X, Cheng S, Brophy VH, Erlich HA, Mannhalter C, Berger K, Lalouschek W, Browner WS, Shi Y, Ringelstein EB, Kessler C, Luedemann J, Lindpaintner K, Liu L, Ridker PM, Zee RY, Cook NR, RMS Stroke SNP Consortium.

A meta-analysis of candidate gene polymorphisms and ischemic stroke in 6 study populations: association of lymphotoxin-alpha in nonhypertensive patients. *Stroke.* 2009;40(3): 683-95

Lai CK, Beasley R, Crane J, Foliaki S, Shah J, Weiland S, International Study of Asthma and Allergies in Childhood Phase Three Study Group.

Global variation in the prevalence and severity of asthma symptoms: phase three of the International Study of Asthma and Allergies in Childhood (ISAAC). *Thorax.* 2009;64(6): 476-83