

Publikationsliste des Netzwerkes NIRK per 31.12.2013

- Akiyama M, Sakai K, Wolff G, **Hausser I**, McMillan JR, Sawamura D, Shimizu H. A novel ABCA12 mutation 3270delT causes harlequin ichthyosis. *Br J Dermatol* 2006, 155:1064-6
- Alef T**, Torres S, **Hausser I**, Metze D, Türsen Ü, Lestringant GG, **Hennies HC**, Ichthyosis, follicular atrophoderma, and hypotrichosis caused by mutations in ST14 is associated with impaired profilaggrin processing. *J Invest Dermatol* 129:862-869 (2009)
- Alef T**, **Eckl KM**, Metze D, **Hausser I**, Türsen Ü, Lestringant GG, **Hennies HC**, Gene expression profiling and immunohistochemical analysis of 3D skin models mimicking a syndrome of ichthyosis, follicular atrophoderma, and hypotrichosis. *Med Genet* 22:146 (2010)
- Arin MJ**, **Oji V**, Emmert S, **Hausser I**, **Traupe H**, Krieg T, Grimberg G. Expanding the keratin mutation database: novel and recurrent mutations and genotype-phenotype correlations in 28 patients with epidermolytic ichthyosis. *Br J Dermatol* 164:442-447 (2011)
- Arin MJ**, Roop DR, Koch PJ and Koster MI: Biology of keratinocytes. In: Bologna, Rapini: *Dermatology in Clinical Practice*, 2007
- Arin MJ**: The molecular basis of human keratin disorders. *Hum Genet* 125: 355-373 (2009)
- Arin MJ** and Müller FB: Keratins and their associated skin disorders. *Eur J Dermatol*, 17(2):123-9, 2007.
- Arin MJ** and Roop DR (2004) Inducible mouse models for inherited skin diseases: Implications for skin gene therapy. *Cells Tissues Organs*, 177:160-168.
- Arin MJ**, Hohl D and Roop DR: Disorders of Keratinization. In: "Connective Tissue and Its Heritable Disorders: Molecular, Genetic and Medical Aspects." 2nd Edition (Steinmann B and Royce P eds.), New York, Wiley-Liss, 2002.
- Aten E, Brasz LC, Bornholdt D, Hooijkaas IB, Porteous ME, Sybert VP, Vermeer MH, Vossen RH, van der Wielen MJ, Bakker E, Breuning MH, **Grzeschik KH**, Oosterwijk JC, den Dunnen JT. Keratosis Follicularis Spinulosa Decalvans is caused by mutations in MBTPS2.. *Hum Mutat.* 2010 Oct;31(10):1125-33.
- Aufvenne K**, Larcher F, **Hausser I**, Duarte B, **Oji V**, Nikolenko H, Del Rio M, Dathe M, **Traupe H**. Topical enzyme-replacement therapy restores transglutaminase 1 activity and corrects architecture of transglutaminase-1-deficient skin grafts. *Am J Hum Genet.* 2013 Oct 3;93(4):620-30.
- Aufvenne K**, Rice RH, **Hausser I**, **Oji V**, **Hennies HC**, Del Rio M, **Traupe H**, Larcher F, Long-term faithful recapitulation of transglutaminase 1-deficient lamellar ichthyosis in a skin-humanized mouse model and insights from proteomic studies. *J Invest Dermatol.* 2012 Jul;132(7):1918-21
- Aufvenne K**, **Hausser I**, Rice RE, Larcher F and **Traupe H**. (2011). Development of a skin humanized mouse model for transglutaminase 1 deficient lamellar ichthyosis. Poster P-ClinG-003. 22. Jahrestagung der Deutschen Gesellschaft für Humangenetik, Regensburg, 16.-18.03.2011. Medizinische Genetik, Abstract.
- Aufvenne K**, **Oji V**, **Walker T**, Becker-Pauly C, **Hennies HC**, Stöcker W, **Traupe H**: Transglutaminase-1 and bathing suit ichthyosis: molecular analysis of gene/environment interactions. *J Invest Dermatol.* 2009; 29:2068-71
- Aufvenne K**, Raghunath M, **Traupe H** (2006a) Plasminogen activator inhibitor-2 is expressed in different types of congenital ichthyosis: in vivo evidence for its cross-linking into the cornified cell envelope by transglutaminase-1. *Br J Dermatol* 154:860-7
- Aufvenne K**, Rice RH, **Hausser I**, **Oji V**, **Hennies HC**, Rio MD, **Traupe H**, Larcher F. Long-term faithful recapitulation of transglutaminase 1-deficient lamellar ichthyosis in a skin-humanized mouse model, and insights from proteomic studies. *J Invest Dermatol.* 2012 Jul;132(7):1918-21.
- Avgerinou GP, Asvesti AP, Katsambas AD, Nikolaou VA, Christofidou EC, **Grzeschik KH**, Happle R. J CHILD syndrome: the NSDHL gene and its role in CHILD syndrome, a rare hereditary disorder. *Eur Acad Dermatol Venereol.* 2009 Nov 2. [Epub ahead of print].
- Axt-Gadermann M, **Küster W** (2003) Diagnostik und Therapie der hereditären Ichthyosen. *Kinderärztl Praxis* 74:102-111
- Axt-Gadermann M, Schlichting M, **Küster W** (2003) Male-pattern baldness is common in men with X-linked recessive ichthyosis. *Dermatology* 207:308-309
- Bamford M, **Grzeschik KH**, Milligan A, Camp RD: Mild phenotypic expression of CHILD syndrome in two generations. Alexandroff AB, Kinning E, Bamford *Br J Dermatol.* 2009 Sep;161(3):714-5. Epub 2009 Jul 15.
- Basto J, Pinho O, Barbêdo C, Mártins M, Bornholdt D, Fortuna A, **Grzeschik KH**, Lima M. A nonsense porcn mutation in severe focal dermal hypoplasia with natal teeth. *Dias C, Fetal Pediatr Pathol.* 2010;29(5):305-13.

- Becker-Pauly C, **Höwel M**, **Walker T**, Vlad A, **Aufvenne K**, **Oji V**, Lottaz D, Sterchi EE, Debela M, Magdolen V, **Traupe H**, Stöcker W: The alpha and beta subunits of the metalloprotease meprin are expressed in separate layers of human epidermis, revealing different functions in keratinocyte proliferation and differentiation (2007) *J Invest Dermatol.*127:1115-25
- Binder B, **Hennies HC**, Kraschl R, Smolle J (2005) Connexin 26 mutation and keratitis-ichthyosis-deafness (KID) syndrome. *JDDG* 3:105-108
- Bittar M, Happle R, **Grzeschik KH**, **Leveleki L**, Hertl M, Bornholdt D, **König A**: CHILD syndrome in 3 generations: the importance of mild or minimal skin lesions (2006) *Arch Dermatol.* 142:348-51
- Bittar M, Happle R (2004) CHILD syndrome avant la lettre. *J Am Acad Dermatol* 50: 34-7.
- Blaydon DC, Nitoiu D, **Eckl KM**, Cabral RM, Bland P, **Hausser I**, van Heel DA, Rajpopat S, Fischer J, **Oji V**, Zvulunov, **Traupe H**, **Hennies HC**, Kelsell DP. Mutations in CSTA, encoding Cystatin A, underlie exfoliative ichthyosis and reveal a role for this protease inhibitor in cell-cell adhesion. *Am J Hum Genet* 2011; 89:564-71
- Blaydon DC, Etheridge SL, Risk JM, **Hennies HC**, Gay LJ, Carroll R, Plagnol V, Stevens HP, Spurr NK, Bishop DT, Ellis A, Jankowski J, Field JK, Leigh IM, South AP, Kelsell DP, RHBDF2 mutations are associated with a familial oesophageal cancer syndrome. *Am J Hum Genet.* 2012 Feb 10;90(2):340-6
- Bornholdt D, Atkinson TP, Bouadjar B, Catteau B, Cox H, De Silva D, Fischer J, Gunasekera CN, Hadj-Rabia S, Happle R, Holder-Espinasse M, Kaminski E, König A, Mégarbané A, Mégarbané H, Neidel U, Oeffner F, Oji V, Theos A, Traupe H, Vahlquist A, van Bon BW, Virtanen M, **Grzeschik KH**. Genotype-phenotype correlations emerging from the identification of missense mutations in MBTPS2. *Hum Mutat.* 2013 Apr;34(4):587-94
- Bornholdt D, Oeffner F, König A, Happle R, Alanay Y, Ascherman J, Benke PJ, Boente Mdel C, van der Burgt I, Chassaing N, Ellis I, Francisco CR, Della Giovanna P, Hamel B, Has C, Heinelt K, Janecke A, Kastrup W, Loey B, Lohrisch I, Marcelis C, Mehraein Y, Nicolas ME, Pagliarini D, Paradisi M, Patrizi A, Piccione M, Piza-Katzer H, Prager B, Prescott K, Strien J, Utine GE, Zeller MS, **Grzeschik KH**: PORCN mutations in focal dermal hypoplasia: coping with lethality. *Hum Mutat.* 2009 May;30(5):E618-28
- Bornholdt D, **König A**, Happle R, **Leveleki L**, Bittar M, Danarti R, Vahlquist A, Tilgen W, Reinhold U, Piores Baptista A, Grosshans E, Vabres P, Niiyama S, Sasaoka K, Tanaka T, Meiss AL, Treadwell PA, Lambert D, Camacho F, **Grzeschik KH** (2005) Mutational spectrum of NSDHL in CHILD syndrome. *J Med Genet* 42: e17.
- Braun-Falco M**, Rödl D (2007) Recombinant adeno-associated virus vectors for somatic gene therapy in Dermatology. *Expert Review of Dermatology* 2: 153-165
- Braun-Falco M**, Eisenried A, Büning H, Ring J (2005) Recombinant adeno-associated virus-mediated gene transfer into human keratinocytes is influenced by both ubiquitin/proteasome pathway and epidermal growth factor-receptor tyrosine kinase. *Arch Dermatol Res* 296: 528-535
- Brinkmann L, Spitzer M, Klein T, Ganslandt A, **Ueckert F**. Research outcomes and new features to exchange medical image data with the application system Clearinghouse. *International Journal of Computer Assisted Radiology and Surgery* 2006 (CARS 2006). 2006 1(1): 96-98
- Brinkmann L, **Ueckert F** (2006) Clearinghouse: Erprobte Anwendungssoftware für verteiltes Dokumentenmanagement und verteilte Datenerfassung in multizentrischen Studien sowie Basissystem für weitere telemedizinische Forschungsprojekte. *Telemedizinführer*
- Bruckner-Tuderman L, **Traupe H**, Krieg T: (2007) [The situation of rare skin diseases in Germany] *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 50:1541-7
- Büning H, **Braun-Falco M**, Hallek M. Progress in the use of adeno-associated virus vectors for gene therapy. *Cells Tiss Org* 177: 139-150
- Busch J, Frank V, Bachmann N, Otsuka A, **Oji V**, Metze D, Shah K, Danda S, Watzer B, **Traupe H**, Bolz HJ, Kabashima K, Bergmann C. Mutations in the Prostaglandin Transporter SLCO2A1 Cause Primary Hypertrophic Osteoarthropathy with Digital Clubbing. *J Invest Dermatol.* 2012 Oct;132(10):2473-6.
- Dahlqvist J, Klar J, **Hausser I**, Anton-Lamprecht I, Hellström Pigg M, Gedde-Dahl jr T, Ganemo A, Vahlquist A, Dahl N. Congenital Ichthyosis: mutations in ichthyin are associated with specific structural abnormalities in the granular layer of epidermis(2007) *J Med Genet* 44:615-620
- Danarti R, **Grzeschik KH**, Radiono S, König A, Happle R. Left-sided CHILD syndrome caused by a nonsense mutation in exon 7 of the NSDHL gene. *Eur J Dermatol.* 2010 Sep-Oct;20(5):634-5. Epub 2010 Jul 7.
- Dolge L, **Aufvenne K**, **Traupe H**, Baumgartner W. Beta-actin is a target for transglutaminase activity at synaptic endings in chicken telencephalic cell cultures. *J Mol Neurosci.* 2012 Feb;46(2):410-9.

- Drepper J, Pommerening H, Helbing K, Schröder M, Liebner J M, Pickardt T, Ganslandt T, Sax U, **Hartz T**, Lablans M, Brüntrup R, **Ückert F**. Tools zum ID-Management in der klinischen Forschung TMF Workshop, 24. September, Berlin 2010
- De Juanes S, Epp N, Latzko S, Neumann M, Fürstenberger G, **Hausser I**, Stark HJ, Krieg P: Development of an ichthyosiform phenotype in Alox12b-deficient mouse skin transplants. *J Invest Dermatol* 2009;129:1429-36
- du Souich C, Raymond FL, **Grzeschik KH**, König A, Boerkoel CF. NSDHL-Related Disorders. In: Pagon RA, Bird TD, Dolan CR, Stephens K, editors. GeneReviews [Internet]. Seattle (WA): University of Washington, Seattle; 2011 Feb 01
- Eckl KM**, Tidhar R, Thiele H, **Oji V**, **Hausser I**, Brodesser S, Preil ML, Onal-Akan A, Stock F, Müller D, Becker K, Casper R, Nürnberg G, Altmüller J, Nürnberg P, **Traupe H**, Futerman AH, **Hennies HC**. Impaired epidermal ceramide synthesis causes autosomal recessive congenital ichthyosis and reveals the importance of ceramide acyl chain length. *J Invest Dermatol*. 2013 Sep;133(9):2202-11.
- Eckl KM**, Alef T, Torres S, **Hennies HC**, Full-thickness human skin models for congenital ichthyosis and related keratinisation disorders. *J Invest Dermatol* 131:1938-1342 (2011)
- Eckl KM**, **Oji V**, **Aufenvenne K**, Nätebus M, **Tarinski T**, Ackermann K, Schäfer-Korting M, **Hausser I**, **Traupe H**, **Hennies HC**. Reconstructed human epidermis demonstrates a severe epidermal barrier defect caused by deficiency of corneodesmosin. Jahrestagung der European Society for Investigative Dermatology, Helsinki (Finnland), *J Invest Dermatol* 130:S75 (2010)
- Eckl KM**, de Juanes S, Kurtenbach J, Nätebus M, Lugassy J, Oji V, **Traupe H**, **Preil ML**, Martínez F, Smolle J, Harel A, Krieg P, Sprecher E, **Hennies HC**, Molecular analysis of 250 patients with autosomal recessive congenital ichthyosis: Evidence for mutation hotspots in ALOXE3 and allelic heterogeneity in ALOX12B. *J Invest Dermatol* 129:1421-1428 (2009a)
- Eckl KM**, **Hennies HC**, Disease-specific skin models: In vitro models for the development of treatment approaches to inherited disorders of cornification as illustrated by congenital ichthyosis. *Med Genet* 21:487-492 (2009b)
- Eckl KM**, Weindl G, Ackermann K, Torres S, Schäfer-Korting M, **Hennies HC**, In vitro assessment and validation of 3D skin models for congenital ichthyosis following standardised procedures. *Med Genet* 21:176 (2009c)
- Eckl KM**, Weindl G, Ackermann K, Schäfer-Korting M, **Hennies HC**, New approaches to the therapy of keratinisation disorders: 3D skin model with a disturbed epidermal barrier function American Society of Human Genetics 59th Annual Meeting 3136 #1068 (2009d)
- Eckl KM**, Krieg P, **Küster W**, **Traupe H**, André F, Wittstruck N, Fürstenberger W, **Hennies HC** (2005) Mutation spectrum and functional analysis of epidermis-type lipoxygenases in patients with autosomal recessive congenital ichthyosis. *Hum Mutat* 26:351-361
- Eckl KM**, Stevens HP, Lestringant GG, Westenberger-Treumann M, **Traupe H**, Hinz B, Frossard PM, Stadler R, Leigh IM, Nürnberg P, Reis A, **Hennies HC** (2003) Mal de Meleda (MDM) caused by mutations in the gene for SLURP-1 in patients from Germany, Turkey, Palestine, and the United Arab Emirates. *Hum Genet* 112:50-56
- Emmert S**, **Küster W**, **Hennies HC**, Zutt M, Haenssle H, Kretschmer L, Neumann C (2003) 47 patients in 14 families with the rare genodermatosis keratosis punctata palmoplantaris Buschke-Fischer-Brauer. *Eur J Dermatol* 13:16-20
- Emmert S**, **Küster W**, Zutt M, Hänsle H, Hallermann C, Kretschmer L, Neumann C (2003) A new family with the rare genodermatosis keratosis punctata palmo-plantaris Buschke-Fischer-Brauer. *J Am Acad Dermatol* 49:1166-1169
- Epp, N., Fürstenberger, G., Müller, K., de Juanes, S., Leitges, K., **Hausser, I.**, Thieme, F. Liebisch, G., Schmitz, G., and **Krieg, P** (2007) 12R-lipoxygenase deficiency disrupts epidermal barrier function. *J.Cell.Biol.*, 177, 173-182, 2007.
- Feldmeyer L, Mevorah B, **Grzeschik KH**, Huber M, Hohl D: Clinical variation in X-linked dominant chondrodysplasia punctata (X-linked dominant ichthyosis) (2006) *Br J Dermatol*. 154:766-9.
- Forstbauer LM, Brockschmidt FF, Moskvina V, Herold C, Redler S, Herzog A, Hillmer AM, Meesters C, Heilmann S, Albert F, Alblas M, Hanneken S, Eigelshoven S, Giehl KA, Jagielska D, Blume-Peytavi U, Garcia Bartels N, Kuhn J, **Hennies HC**, Goebeler M, Jung A, Peitsch WK, Kortüm AK, Moll I, Kruse R, Lutz G, Wolff H, Blaumeiser B, Böhm M, Kirov G, Becker T, Nöthen MM, Betz RC. Genome-wide pooling approach identifies SPATA5 as a new susceptibility locus for alopecia areata. *Eur J Hum Genet*. 2012 Mar;20(3):326-32
- Grall A, Guaguere E., Planchais S, Grond S, Bourrat E, **Hausser I**, Hitte C, Le Gallo M, Derbois C, Kim GJ, Lagoutte L, Degorce-Rubiales F, Radner FP, Thomas A, Küry S, Bensignor E, Fontaine J, Pin D, Zimmermann R, Zechner, Lathrop M, Galibert F, Andre C, Fischer J. PNPLA1 mutations cause autosomal recessive congenital ichthyosis in golden retriever dogs and humans. *Nat Genet* 2012 15; 44:140-7.

- Fürstenberger, G., Epp, N., **Eckl, K.-J., Hennies, H. C.**, Jørgensen, C., Hallenborg, P., Kristiansen, K., and **Krieg, P** (2007) Role of epidermis-type lipoxygenases for skin barrier function and adipocyte differentiation., *Prostaglandins and Other Lipid Mediators*, 82, 128-134
- Fuchs-Telem D, Stewart H, Rapaport D, Nousbeck J, Gat A, Gini M, Lugassy Y, Emmert S, **Eckl KM, Hennies HC**, Sarig O, Goldsher D, Meilik B, Horowitz M, Sprecher E, CEDNIK syndrome results from loss-of-function mutations in SNAP29. *Br J Dermatol* 164:610-616 (2011)
- Garavelli L, Simonte G, Rosato S, Wischmeijer A, Albertini E, Guareschi E, Longo C, Albertini G, Gelmini C, Greco C, Errico S, Savino G, Pavanello M, Happle R, Unger S, Superti-Furga A, **Grzeschik KH**. Focal dermal hypoplasia (Goltz-Gorlin syndrome): a new case with a novel variant in the PORCN gene (c.1250T>C:p.F417S) and unusual spinal anomaly. *Am J Med Genet A*. 2013 Jul;161A(7):1750-4.
- Gedicke MM, **Traupe H**, Fischer B, Tinschert S, **Hennies HC**: Towards characterization of palmoplantar keratoderma caused by gain-of-function mutation in lorycin: analysis of a family and review of the literature (2006) *Br J Dermatol*. 154:167-71
- Grimberg G, Hausser I**, Müller FB, Wodecki K, Schaffrath C, Krieg T, **Oji V, Traupe H, Arin MJ**: Novel and recurrent mutations in the 1B domain of keratin 1 in palmoplantar keratoderma with tonotubules. (2009) *Br J Dermatol*. 160:446-9.
- Gruber R, **Hennies HC**, Romani N, Schmuth M, A novel homozygous missense mutation in ARS (component B) encoding SLURP-1 causes Mal de Meleda with exceptional phenotype. *Arch Dermatol* 147:748-750 (2011)
- Grzeschik KH**, Bornholdt D, Oeffner F, **König A**, del Carmen Boente M, Enders H, Fritz B, Hertl M, Grasshoff U, Höfling K, Oji V, Paradisi M, Schuchardt C, Szalai Z, Tadini G, **Traupe H**, Happle R. (2007) Deficiency of PORCN, a regulator of Wnt signaling, is associated with focal dermal hypoplasia. *Nat Genet*. 39:833-5.
- Haenssle HA, Finkenrath A, **Hausser I**, Oji V, **Traupe H, Hennies HC**, Neumann C, Emmert S, Effective therapy of a severe thermodyregulation by oral retinoids in a patient with recessive lamellar ichthyosis EM-type III (2008) *Clin Exp Dermatol* 33:578-581
- Happle R, **Traupe H**: [Genodermatoses]. *Hautarzt*. 2011 Feb;62(2):80-1.
- Haverkaemper S, Marquardt T, **Hausser I**, Timme K, Kuehn T, Hertzberg C, Rossi R. Congenital ichthyosis in severe type II Gaucher disease with a homozygous null mutation. *Neonatology* 2011; 100:194-7
- Haug S, **Braun-Falco M** (2006): Restoration of fatty aldehyde dehydrogenase deficiency in Sjögren-Larsson syndrome. *Gene Ther*. 13:1021-6
- Haug S, **Braun-Falco M** (2005) Adeno-associated virus vectors are able to restore fatty aldehyde dehydrogenase-deficiency. Implication for gene therapy in Sjögren-Larsson syndrome. *Arch Dermatol Res* 296: 568-572
- Hausser I**, De Juanes S, **Hennies HC**, Krieg P, Ichthyosis in men and mice – another installment of correlative studies. *Exp Dermatol* 18:1088 (2009)
- Hautier J, **Aufvenne K**, Deraison C, Ahvazi B, **Oji V, Traupe H**, Hovnanian A.: Acral self-healing collodion baby: report of a new clinical phenotype caused by a novel TGM1 mutation (2009) *Br J Dermatol*. online
- Hellenbroich Y, **Grzeschik KH**, Krapp M, Jarutat T, Lehrmann-Petersen C, Buiting K, Gillissen-Kaesbach G. Reduced penetrance in a family with X-linked dominant chondrodysplasia punctata. *Eur J Med Genet*. 2007 Sep-Oct;50(5):392-8. Epub 2007 Jun 3.
- Hennies HC**, Torres S, Casper R, Weindl G, Ackermann K, Kuchler S, **Oji V, Traupe H**, Schäfer-Korting M, **Eckl KM**, In-vitro models for congenital keratinization disorders. Jahrestagung der Deutschen Pharmazeutischen Gesellschaft, Braunschweig, F6-1, <http://www.dphg2010.tu-braunschweig.de> (2010)
- Hernández-Martín A, Torreló-Fernández A, de Lucas-Laguna R, Casco F, González-Sarmiento R, Vega A, Pedreira-Massa JL, de Unamuno-Pérez P, Larcher F, Arroyo I, **Traupe H**. First symposium of ichthyosis experts. *Actas Dermosifiliogr*. 2013 Dec;104(10):877-82.
- Houge G, Oeffner F, **Grzeschik KH**: An Xp11.23 deletion containing PORCN may also cause angioma serpiginosum, a cosmetic skin disease associated with extreme skewing of X-inactivation (2008) *Eur J Hum Genet*:1027-8.
- Hüffmeier U, Traupe H, Oji V**, Lascorz J, Ständer M, Lohmann J, Wendler J, Burkhardt H, Reis A: Loss-of-function variants of the filaggrin gene are not major susceptibility factors for psoriasis vulgaris or psoriatic arthritis in German patients (2007) *J Invest Dermatol*. 127:1367-70
- Hussain MS, Baig SM, Neumann S, Nürnberg G, Farooq M, Ahmad I, Alef T, **Hennies HC**, Technau M, Altmüller J, Frommolt P, Thiele H, Noegel AA, Nürnberg P. A truncating mutation of CEP135 causes primary microcephaly and disturbed centrosomal function. *Am J Hum Genet*. 2012 May 4;90(5):871-8.

- Inhoff O, **Hausser I**, Schneider SW, Khnykin D, Jahnsen F,L, Sartoris J, Goerdts S, Peitsch WK. Ichthyosis prematurity syndrome caused by a novel fatty acid transport protein 4 gene mutation in a German patient. *Arch Dermatol* 2011; 147:750-2
- Janecke AR, **Hennies HC**, Günther B, Gansl G, Smolle J, Messmer EM, Utermann G, Rittinger O (2005) De novo *GJB2* mutation G45E associated with fatal keratitis-ichthyosis-deafness syndrome. *Am J Med Genet* 133A:128-131
- Jansen PA, van den Bogaard EH, Kersten FF, Oostendorp C, van Vlijmen-Willems IM, **Oji V, Traupe H, Hennies HC**, Schalkwijk J, Zeeuwen PL. Cystatin M/E knockdown by lentiviral delivery of shRNA impairs epidermal morphogenesis of human skin equivalents. *Exp Dermatol*. 2012 Nov;21(11):889-91
- Jefferson T, Auf dem Keller U, Bellac C, Metz VV, Broder C, Hedrich J, Ohler A, Maier W, Magdolen V, Sterchi E, Bond JS, Jayakumar A, **Traupe H**, Chalaris A, Rose-John S, Pietrzik CU, Postina R, Overall CM, Becker-Pauly C. The substrate degradome of meprin metalloproteases reveals an unexpected proteolytic link between meprin β and ADAM10. *Cell Mol Life Sci*. 2013 Jan;70(2):309-33.
- Jonak C, Metz D, **Traupe H**, Happle R, **König A**, Trautinger F (2005). The expression of the 27-kd heat shock protein in keratinization disorders: an immunohistological study. *Hum Pathol*. **36**:686-93.
- Kim CA, **König A**, Bertola DR, Albano LM, Gattas GJ, Bornholdt D, **Leveleki L**, Happle R, **Grzeschik KH** (2005). CHILD syndrome caused by a deletion of exons 6-8 of the NSDHL gene. *Dermatology*.;211(2):155-8.
- Kiritsi D, Cosgarea I, Franzke CW, Schumann H, **Oji V**, Kohlhase J, Bruckner-Tuderman L, Has C. Acral peeling skin syndrome with TGM5 gene mutations may resemble epidermolysis bullosa simplex in young individuals. *J Invest Dermatol* 130(6):1741-6 (2010)
- Khnykin D, Ronnevig J, Johnsson M, Sitek JC, Blaas HG, **Hausser I**, Johansen FE, Jahnsen FL. Ichthyosis prematurity syndrome: clinical evaluation of 17 families with a rare disorder of lipid metabolism. *J Am Acad Dermatol* 2012; 66:606-16
- König A, Skrzypek J, Löffler H, Oeffner F, **Grzeschik KH**, Happle R. Donor dominance cures CHILD nevus. *Dermatology*. 2010;220(4):340-5.
- Klein A, Ganslandt T, **Brinkmann L, Spitzer M, Ueckert F**, Prokosch HU. Experiences with an Interoperable Data Acquisition Platform for Multi-Centric Research Networks Based on HL7 CDA. *AMIA Annu Symp Proc*. 2006:986
- Kolb-Mäurer A, **Grzeschik KH**, Haas D, Bröcker EB, Hamm H: Conradi-Hünemann-Happle syndrome (X-linked dominant chondrodysplasia punctata) confirmed by plasma sterol and mutation analysis. (2008) *Acta Derm Venereol*. 88(1):47-51
- Kolde G, **Hennies HC**, Bethke G, Reichart P (2005), Focal palmoplantar and gingival keratosis: a distinct palmoplantar ectodermal dysplasia with epidermolytic alterations but lack of mutations in known keratins. *J Am Acad Dermatol* 52:403-409
- Krieg P.**, Heidt M., Siebert M., Kinzig A., Marks F., and Fürstenberger G (2002) Epidermis-type lipoxygenases. *Adv. Exp. Med. Biol.* 507,165-170,.
- Krug M, **Oji V, Traupe H**, Berneburg M. Ichthyoses - Part 1: Differential diagnosis of vulgar ichthyoses and therapeutic options. *J Dtsch Dermatol Ges* 7:511-9 (2009)
- Krug M, **Oji V, Traupe H**, Berneburg M. Ichthyoses - Part 2: Congenital ichthyoses. *J Dtsch Dermatol Ges* 7:577-88 (2009).
- Küchler S, Henkes D, **Eckl KM**, Ackermann K, Plendl J, Korting HC, **Hennies HC**, Schäfer-Korting M, Hallmarks of atopic skin mimicked in vitro by means of a skin disease model based on FLG knock-down. *Altern Lab Anim* 39:471-480 (2011)
- Küster W** (2005) Keratosen. In Braun-Falco O, Plewig G, Wolff HH (Hrsg) *Dermatologie und Venerologie*. 5.Aufl, Springer, Berlin
- Küster W** (2005) Handbuch für Eltern und Betreuer von Kindern mit Ichthyose. 3.Auflage, Selbsthilfe Ichthyose, Mittenwalde.
- Küster W** (2005) Aktuelle Therapie bei Ichthyosen. *Dt Ärztebl*.
- Küster W** (2004) Therapie von Genodermatosen. *Haut* 15:243-246
- Küster W** (2004) Ausgewählte Genodermatosen. In T.Jansen, D.Abeck, P.Altmeyer (Hrsg) *Aktuelle Trends in der pädiatrischen Dermatologie*. Medizinische Verlagsanstalt, Berlin
- Küster W**, Melnik B, **Traupe H, Hamm H** (2003) Lipid composition of outer stratum corneum in hereditary palmoplantar keratoderms. *Dermatology* 206:131-135
- Küster W** (2003) Handboek voor ouders en begeleiders van kinderen met ichthyosis. Ichthyosis Stichting België, Mortsel
- Küster W**, Fritsch P, Happle R (2003) Hereditäre Verhornungsstörungen. In Fritsch P (Hrsg) *Dermatologie und Venerologie. Lehrbuch und Atlas*. 2.Auflage, Springer, Berlin

- Lablans M**, Brüntrup R, Drepper J, **Ückert F**: Eine generische Softwarebibliothek zur Umsetzung des TMF-Datenschutzkonzepts A im Webeinsatz. 55. GMDS-Jahrestagung, 05.-09. September, Mannheim 2010
- Lugassy J, **Hennies HC**, Indelman M, Khamaysi Z, Bergman R, Sprecher E, Rapid detection of homozygous mutations in congenital recessive ichthyosis (2008) *Arch Dermatol Res* 300:81-85
- Lugassy J, Itin P, Ishida-Yamamoto A, Holland K, Huson S, Geiger D, **Hennies HC**, Indelman M, Bercovich D, Uitto J, Bergman R, McGrath JA, Richard G, Sprecher E, Naegeli-Franceschetti-Jadassohn syndrome and Dermatopathia Pigmentosa Reticularis: two allelic ectodermal dysplasias caused by dominant mutations in KRT14 (2006) *Am J Hum Genet* 79:724-730
- Madsen HB, Ifversen P, Madsen F, Brodin B, **Hausser I**, Nielsen HM: In vitro cutaneous application of ISCOMs on human skin enhances delivery of hydrophobic model compounds through the stratum corneum. *AAPS J*, 2009;11:728-39
- Maalouf D, Mégarbané H, Chouery E, Nasr J, Badens C, Lacoste C, **Grzeschik KH**, Mégarbané A.A novel mutation in the PORCN gene underlying a case of almost unilateral focal dermal hypoplasia. *Arch Dermatol.* 2012 Jan;148(1):85-8.
- Malfait F, Kariminejad A, Van Damme T, Gauche C, Syx D, Merhi-Soussi F, Gulberti S, Symoens S, Vanhauwaert S, Willaert A, Bozorgmehr B, Kariminejad MH, Ebrahimiadib N, **Hausser I**, Huysseune A, Fournel-Gigleux S, De Paepe A. Defective initiation of glycosaminoglycan synthesis due to B3GALT6 mutations causes a pleiotropic Ehlers-Danlos-syndrome-like connective tissue disorder. *Am J Hum Genet.* 2013 Jun 6;92(6):935-45.
- Mazereeuw-Hautier J, **Aufvenne K**, Deraison C, Ahvazi B, **Oji V**, **Traupe H**, Hovnanian A.: Acral self-healing collodion baby: report of a new clinical phenotype caused by a novel TGM1 mutation. *Br J Dermatol.* 2009;161:456-63.
- McLarren KW, Severson TM, du Souich C, Stockton DW, Kratz LE, Cunningham D, Henderson G, Morin RD, Wu D, Paul JE, An J, Nelson TN, Chou A, DeBarber AE, Merkens LS, Michaud JL, Waters PJ, Yin J, McGillivray B, Demos M, Rouleau GA, **Grzeschik KH**, Smith R, Tarpey PS, Shears D, Schwartz CE, Gecz J, Stratton MR, Arbour L, Hurlburt J, Van Allen MI, Herman GE, Zhao Y, Moore R, Kelley RI, Jones SJ, Steiner RD, Raymond FL, Marra MA, Boerkoel CF. Hypomorphic temperature-sensitive alleles of NSDHL cause CK syndrome. *Am J Hum Genet.* 2010 Dec 10;87(6):905-14.
- Melin, M. Klar J, Gedde-Dahl T, Fredriksson R, **Hausser I**, Brandup F, Bygum A, Vahlquist A, Hellström Pigg M, Dahl N. A founder mutation for ichthyosis prematurity syndrome restricted to 76 kb by haplotype association (2006) *J Hum Genet*, 51:864-71.
- Meruvu, S., Walther, M., Ivanov, I., Hammarstrom, S., Fürstenberger, G., **Krieg, P.**, Redanna, P., and Kühn, H (2005) Sequence determinants for the reaction specificity of murine (12R)-lipoxygenase: targeted substrate modification and site-directed mutagenesis. *J. Biol. Chem.* 280, 36633-36641.
- Mizrachi-Koren M, Shemer S, Morgan M, Indelman M, Khamaysi Z, Petronius D, Bitterman-Deutsch O, **Hennies HC**, Bergman R, Sprecher E, Homozygosity mapping as a screening tool for the molecular diagnosis of hereditary skin diseases in consanguineous populations (2006) *J Am Acad Dermatol* 55:393-401
- Müller FB**, Huber M, Kinaciyan T, Hauser I, **Krieg T**, Hohl D, Korge BP and **Arin MJ**: A human keratin 10 knockout causes recessive epidermolytic hyperkeratosis. *Hum Mol Genet* 15: 1133-1141, 2006.
- Nellen RGL, Steijlen PM, **Hennies HC**, Fischer J, Munro CS, Jonkman MF, van Steensel MAM, van Geel M, Haplotype analysis in Western European patients with Mal de Meleda: founder effect for the W15R mutation in the SLURP1 gene. *Br J Dermatol.* 2013 Jun;168(6):1372-4.
- Nousbeck J, Ishida-Yamamoto A, Bidder M, Fuchs D, **Eckl K**, **Hennies HC**, Sagiv N, Gat A, Gini M, Filip I, Matz H, Goldberg I, Enk CD, Sarig O, Meilik B, Aberdam D, Gilhar A, Sprecher E, IGFBP7 as a novel therapeutic target in psoriasis. *J Invest Dermatol* 131:1767-1770 (2011)
- Oeffner F, Martinez F, Schaffer J, Salhi A, Monfort S, Oltra S, Neidel U, Bornholdt D, van Bon B, König A, Happle R, **Grzeschik KH**. Intronic mutations affecting splicing of MBTPS2 cause ichthyosis follicularis, alopecia and photophobia (IFAP) syndrome. *Exp Dermatol.* 2011 May;20(5):447-9.
- Oji V, **Eckl KM**, **Aufvenne K**, Nätebus M, **Tarinski T**, Ackermann K, Seller N, Metze D, Nürnberg G, Fölster-Holst R, Schäfer-Korting M, **Hausser I**, **Traupe H**, **Hennies HC**. Loss of corneodesmosin leads to severe skin barrier defect, pruritus, and atopy: unraveling the peeling skin disease. *Am J Hum Genet.* 2010;87:274-81

- Oji V**, Tadini G, Akiyama M, Bardon CB, Bodemer C, Bourrat E, Coudiere P, DiGiovanna JJ, Elias P, Fischer J, Fleckmann P, Gina M, Harper J, Hashimoto T, **Hausser I**, **Hennies HC**, Hohl D, Hovnanian A, Ishida-Yamamoto A, Jacyk WK, Leachman S, Leigh I, Mazereeuw-Hautier J, Milstone L, Morice-Picard Fm, Paller AS, Richard G, Schmuth M, Shimizu H, Sprecher E, van Steensel M, Taieb A, Toro JR, Vabres P, Vahlquist A, Williams M, **Traupe H**. Revised nomenclature and classification of inherited ichthyoses: Results of the First Ichthyosis Consensus Conference in Sorèze 2009. *J Am Acad Dermatol* 63(4):607-41 (2010)
- Oji V**. (Übersichtsartikel) Klinik und Ätiologie der Ichthyosen. Grundlage der neuen Nomenklatur und Klassifikation. [Clinical presentation and etiology of ichthyoses. Overview of the new nomenclature and classification.] *Hautarzt* 61(10):891-902, quiz 903-4 (2010)
- Oji V**. (**Buchkapitel**) Hereditäre Ichthyosen. In: Braun-Falco's Dermatologie, Venerologie und Allergologie, 6. Aufl., Plewig, Wolff, Burgdorf, Landthaler, Springer Heidelberg (im Druck)
- Oji V**. Classification of the Ichthyoses (Disorders of Cornification). In: Ichthyoses – Clinical, Biochemical, Pathogenic and Diagnostic Assessment, Elias, Williams, Crumrine, Schmuth, Karger Basel (2010)
- Oji V**, **Traupe H**: Ichthyosis: Clinical Manifestations and Practical Treatment Options. *Am J Clin Dermatol* 10: 351-64 (2009).
- Oji V**, Tadini G, Akiyama M, et al. Revised nomenclature and classification of inherited ichthyoses: Results of the First Ichthyosis Consensus Conference in Sorèze 2009. *JAAD*: accepted for publication (2009).
- Oji V, Seller N, Sandilands A, Gruber R, Gerss J, Hüffmeier U, Hamm H, Emmert S, Aufenvenne K, Metze D, Luger T, Loser K, **Hausser I**, Traupe H, McLean WH: Ichthyosis vulgaris: novel FLG mutations in the German population and high presence of CD1a+ cells in the epidermis of the atopic subgroup. (2009) *Br J Dermatol*. 160:771-81
- Oji V**, **Traupe H**, **Hennies HC**. Molekulare Charakterisierung der Ichthyosen. Neue Aspekte zur Terminologie und Klassifikation. *Zeitschrift Medizinische Genetik* 21(4):479-86 (2009)
- Oji V, Ahvazi B, **Hausser I**, **Hennies HC**, Jacyk WK, Aufenvenne K, **Traupe H**, Bathing suit ichthyosis: a temperature sensitive phenotype (2008) *Eur J Pediatr Dermatol* 18:75-77
- Oji V, Traupe H: Ichthyoses: differential diagnosis and molecular genetics (2006) *Eur J Dermatol*. 16:349-59
- Oji V**, Mazereeuw Hautier J, Ahvazi B, **Aufenvenne K**, **Hausser I**, Walker T, Seller N, Steijlen PM, Küster W, Hovnanian A, **Hennies HC**, **Traupe H** (2006) Bathing suit ichthyosis is caused by transglutaminase-1 deficiency: evidence for a temperature sensitive phenotype. *Hum Mol Genet* 15:3083-3097
- Oji V**, Oji ME, Adamini N, Walker T, **Traupe H** (2004) Ichthyosen und verwandte Verhornungsstörungen. *Versorgung, Klinik und Genetik, Hautarzt* 55, 931-941
- Pasternack SM, von Kügelgen I, Müller M, **Oji V**, **Traupe H**, Sprecher E, Nöthen MM, Janecke AR, Betz RC. In Vitro Analysis of LIPH Mutations Causing Hypotrichosis Simplex: Evidence Confirming the Role of Lipase H and Lysophosphatidic Acid in Hair Growth. *J Invest Dermatol* 129:2772-6. (2009).
- Patrizi A, Tabanelli M, **Grzeschik KH**, Misciali C, Neri I, Happle R. Multiple basal cell carcinomas in a 38-year-old woman with Goltz syndrome. *Dermatology*. 2012;224(2):97-100.
- Perusquía-Ortiz AM, **Oji V**, Sauerland MC, Tarinski T, Zараeva I, Seller N, Metze D, Aufenvenne K, **Hausser I**, **Traupe H**. Complete filaggrin deficiency in ichthyosis vulgaris is associated with only moderate changes in epidermal permeability barrier function profile. *J Eur Acad Dermatol Venereol*. 2013 Dec;27(12):1552-8.
- Pichler R, Stelzer C, Berg J, Holzinger C, **Eckl KM**, **Hennies HC**, Auböck J (2005), Hypoplastic thyroid, growth hormone deficiency, corneal opacities, cataract and hyperkeratotic skin disease: a possible new ichthyosis syndrome associated with endocrinopathies. *Arch Dermatol Res* 296:585-587
- Pilger U, **Hennies HC**, Truschnegg A, Aberer E (2004) Late onset Papillon-Lefèvre syndrome without alteration of the cathepsin C gene. *J Am Acad Dermatol* 49:S240-243
- Preil ML**, **Küster W** (2005) Netzwerk für Ichthyosen und verwandte Verhornungsstörungen (NIRK) – Erste Ergebnisse des klinischen Ichthyose-Zentrums Bad Salzschlirf. Poster auf der 43.Tagung der Deutschen Dermatologischen Gesellschaft, Dresden
- Raghunath M**, Tontsidou L, **Oji V**, **Aufenvenne K**, Schürmeyer-Horst F, Jayakumar A, Ständer H, Smolle J, Clayman GL, **Traupe H** (2004) SPINK 5 and Netherton syndrome: novel mutations, demonstration of missing LEKTI, and differential expression of transglutaminases. *J Invest Dermatol* 123, 474-483.
- Raghunath M**, **Hennies HC**, Ahvazi B, Vogel M, Reis A, Steinert PM, **Traupe H** (2003) The selfhealing collodion baby: a dynamic phenotype explained by a particular transglutaminase-1 mutation. *J Invest Dermatol* 120:224-228

- Raychaudhury T, George R, Mandal K, Srivastava VM, Thomas M, Bornholdt D, **Grzeschik KH**, Koehler A. A novel x-chromosomal microdeletion encompassing congenital hemidysplasia with ichthyosiform erythroderma and limb defects *Pediatr Dermatol*. 2013 Mar;30(2):250-2.
- Roedl D, **Oji V**, Buters JT, Behrendt H, Braun-Falco M. rAAV2-mediated restoration of LEKTI in LEKTI-deficient cells from Netherton patients. *J Dermatol Sci*. 2011 Mar;61(3):194-8.
- Sander CS, Salman N, van Geel M, Broers JL, Al-Rahmani A, Chedid F, **Hausser I**, **Oji V**, Al Nuaimi K, Berger TG, Verstraaten VL (2008). A newly identified splice site mutation in ZMPSTE24 causes restrictive dermatopathy in the Middel East. *Br J Dermatol*, 961-7
- Schmieder A, **Hausser I**, Schneider SW, Goerdts S, Peitsch WK. Palmoplantar hyperkeratoses and hypopigmentation. Cole disease. *Acta Derm Venereol*. 2011; 91:737-8
- Scholz IM, **Hausser I**, Behnecke A, Helmbold P, A family with dystrophic alopecia and keratosis pilaris. *J Dtsch Dermatol Ges* 2011; 9:1055-6
- Shao K, Koch C, Gupta MK, Lin Q, Lenz M, Laufs S, Denecke B, Schmidt M, Linke M, **Hennies HC**, Hescheler J, Zenke M, Zechner U, Šarić T, Wagner W. Induced pluripotent mesenchymal stromal cell clones retain donor-derived differences in DNA methylation profiles. *Mol Ther*. 2013 Jan;21(1):240-50.
- Spitzer M**, **Ueckert F**. Clearinghouse – Teleradiologie und Datenschutz. *Telemedizin* 2008. 2007 249-252 (German only)
- Spitzer M**, **Brinkmann L**, **Ueckert F**. Clearinghouse: a teleradiology platform emphasizing security of data and communication. *Medinfo 2007*; 12(1): 508-512
- Spitzer M**, **Brinkmann L**, **Ueckert F**. Differenzierter Einsatz des telemedizinischen Systems Clearinghouse. *Telemed 2007*. 2007 (German only)
- Spitzer M**, **Ueckert F**. *Technische Realisierung eines Datenschutzkonzepts nach aktuellen deutschen Standards durch Einsatz moderner, dynamischer Web-Techniken am Beispiel der Teleradiologie-Plattform „MDPE“*. GMDS 2009. (Vortrag und Abstract)
- Spitzer M**, **Ueckert F**. *Securing a Web-Based Teleradiology Platform According to German Law and “Best Practices”*. Medical Informatics Europe (MIE) Conference. 2009. (Vortrag und Artikel)
- Terheyden P, Grimberg G, **Hausser I**, Korge BP, Krieg T and **Arin MJ**: Recessive epidermolytic hyperkeratosis caused by a novel termination codon mutation in the keratin 10 gene. *J Invest Dermatol*, 129: 2721-2723 (2009).
- Thill M, Nguyen TD, Wehnert M, Fischer D, **Hausser I**, Braun S, Jackisch C (2008) Restrictive dermatopathy: a rare laminopathy. *Arch Gynecol Obstet*, 278:201-8
- Todt I, **Hennies HC**, **Küster W**, Smolle J, Rademacher G, Mutze S, Basta D, Ernst A, Neurological and neuroanatomical changes in the connexin-26 related HID/KID syndrome (2006) *Audiol Neurotol* 11:242-248
- Todt I, **Hennies HC**, Basta D, Ernst A (2005) Vestibular dysfunction of patients with mutations of connexin 26. *Neuroreport* 16:1179-1181
- Traupe H**. Ichthyosis keeps surprising us. *Actas Dermosifiliogr*. 2013 May;104(4):267-9.
- Traupe H**, Fischer J, **Oji V**. Nonsyndromic types of ichthyoses - an update. *J Dtsch Dermatol Ges*. 2014 Feb;12(2):109-21.
- Traupe H**, **Eckl KM**, **Aufvenne K**, Nätebus M, **Tarinski T**, Ackermann K, Schäfer-Korting M, **Hausser I**, **Oji V**, **Hennies HC**. Loss of corneodesmosin due to early truncating autosomal recessive nonsense mutations leads to peeling skin disease. Jahrestagung der European Society for Investigative Dermatology, Helsinki (Finnland), *J Invest Dermatol* 130:S81 (2010)
- Traupe H**, Burgdorf WHC (2007) Treatment of ichthyosis-There is always something you can do! In Memoriam: **Wolfgang Küster** *J Am Acad Dermatol* 57:542-7
- Trindade F, Fiadeiro T, Torreló A, **Hennies HC**, **Hausser I**, **Traupe H**, Bathing suit ichthyosis – a case report and review of the literature. *Eur J Dermatol* 20:447-450 (2010)
- Ueckert F**, **Brinkmann L**, Fischer G, Jürgens H, Paulussen M (2004). Flexible and secure Internet-based discussion of variable image data. *Proceedings of the 18th International Congress and Exhibition CARS*: 274-278.
- Ueckert F**, Ganslandt T, Jürgens H, Paulussen M (2004) Internetbasierter (Bild-)Datentransfer nach differenziertem Rechtsmodell. In: Achim Jäckel (Hrsg): *Telemedizin* Führer Deutschland, Ausgabe 2004, Medizin Forum AG : 191.
- Weberschock T, **Hausser I**, Gholam P, Hartmann M. Generalized erythroscamous dermatosis. *Hautarzt* 2012 63:47-51