

Qualitätssicherung Schlaganfall Nordwestdeutschland und Arbeitsgemeinschaft Deutscher Schlaganfallregister (ADSR)

Publikationsliste (Stand 12.10.2022)

(Publikationen können bei uns angefordert werden, mit einem * sind Manuskripte gekennzeichnet in denen Daten oder Proben verwendet wurden, die im Rahmen des BMBF geförderten Kompetenznetzwerkes Schlaganfall erhoben wurden.)

2000

- Heuschmann PU, Kolominsky-Rabas PL, Kugler C, Leffmann C, Neundörfer B, Haaß A, Lowitzsch K, Berger K: Qualitätssicherung in der Schlaganfallbehandlung: das Basismodul der Arbeitsgemeinschaft Deutscher Schlaganfall-Register (ADSR). **Gesundheitswesen** 62 (2000), 547-552

2003

- Schmidt W-P, Berger K, Taeger D, Lay M, Bücken-Nott HJ, Kolominsky-Rabas PL: Ausstattungsmerkmale von Krankenhäusern und ihr Einfluss auf die Liegezeit von Schlaganfallpatienten. **Deutsch Med Wochenschr** 128 (2003), 979-983
- Heuschmann PU, Berger K, Misselwitz B, Hermanek P, Leffmann C, Adelman M, Buecker-Nott HJ, Rother J, Neundorfer B, Kolominsky-Rabas PL, on behalf of the German Stroke Registers Study Group: Frequency of thrombolytic therapy in patients with acute ischemic stroke and the risk of in-hospital-mortality. The German Stroke Registers Study Group. **Stroke** 34 (2003), 1106-1113
- Schmidt W-P, Taeger D, Bücken-Nott HJ, Berger K: The impact of weekday and month of admission on length of hospital stay in patients with stroke. **Cerebrovasc Dis** 16 (2003), 247-252

2004

- Heuschmann PU, Kolominsky-Rabas PL, Misselwitz B, Hermanek P, Leffmann C, von Reutern GM, Lachenmeyer L, Buecker-Nott HJ, Berger K: Einflussfaktoren auf die stationäre Liegezeit nach Schlaganfall in Deutschland. **Deutsch Med Wochenschr** 129 (2004), 299-304
- Heuschmann PU, Kolominsky-Rabas PL, Misselwitz B, Hermanek P, Leffmann C, Janzen RWC, Rother J, Buecker-Nott HJ, Berger K: Predictors of in-hospital mortality and attributable risks of death after ischemic stroke. The German Stroke Registers Study Group. **Arch Int Med** 164 (2004), 1761-1768 *
- Heuschmann PU, Kolominsky-Rabas PL, Rother J, Misselwitz B, Lowitzsch K, Heidrich J, Hermanek P, Leffmann C, Sitzler M, Biegler M, Buecker-Nott HJ, Berger K: Predictors of in-hospital mortality in patients with acute ischemic stroke treated with thrombolytic therapy. The German Stroke Registers Study Group. **JAMA** 292, No. 15 (2004), 1831-1838 *
- Schmidt W-P, Heuschmann P, Taeger D, Henningsen H, Bücken-Nott HJ, Berger K, Determinants of iv heparin treatment in patients with ischemic stroke. **Neurology** 63 (2004), 2407-2409

2005

- Dittrich R, Schmidt W-P, Heidrich J, Bücken-Nott HJ, Heuschmann P, Ringelstein E-B, Berger K: Art und Umfang der Diagnostik bei der Akutbehandlung von Schlaganfallpatienten in neurologischen, internistischen und geriatrischen Abteilungen. **Fortschr Neurol Psychiatr** 73 (2005), 68-73
- *Heuschmann PU, Kolominsky-Rabas PL, Nolte CH, Hünermund G, Ruf H-U, Laumeier I, Meyrer R, Alberti T, Rahmann A, Kurth T, Berger K: Untersuchung der Reliabilität der deutschen Version des Barthel-Index sowie Entwicklung einer postalischen und telefonischen Fassung für den Einsatz bei Schlaganfallpatienten. **Fortschr Neurol Psychiatr** 73 (2005), 74-82

2006

- Kurth T, Walker AM, Glynn RJ, Chan KA, Gaziano JM, Berger K, and Robins JM. Multivariable logistic regression, propensity matching, propensity adjustment, and propensity-based weighting differ appropriately in their results under condition of non-uniform effect. **Am J Epidemiol** 163 (2006), 262-270
- Heuschmann PU, Biegler MK, Busse O, Elsner S, Grau A, Hasenbein U, Hermanek P, Janzen RWC, Kolominsky-Rabas PL, Kraywinkel K, Lowitzsch K, Misselwitz B, Nabavi DG, Otten K, Pientka L, von Reutern GM, Ringelstein EB, Sander D, Wagner M, Berger K: Development and implementation of evidence-based indicators for measuring quality of acute stroke care - The Quality Indicator Board of the German Stroke Registers Study Group (ADSR). **Stroke** 37 (2006), 2573-2578
- *Kuhlenbäumer G, Berger K, Hüge A, Lange E, Kessler C, John U, Funke H, Nabavi D, Stögbauer F, Ringelstein EB, Stoll M: Evaluation of single nucleotide polymorphisms in the phosphodiesterase 4D gene (PDE4D) and their association with ischemic stroke in a large German cohort. **JNNP** 77 (2006), 521-524
- Heuschmann PU, Berger K: International experiences in stroke Registers – Germany. **Am J Prev Med** (2006), 6 (2),:S238-9 *

2007

- *Berger K, Stögbauer F, Stoll, M, Wellmann J, Hüge A, Cheng S, Kessler C, John U, Assmann G, Ringelstein EB, Funke H: The glu298asp polymorphism in the nitric oxide synthase 3 gene is associated with the risk of ischemic stroke in two large independent case-control studies. **Hum Genet** 121 (2007), 169-78 *

2008

- *Gretarsdottir S, Thorleifsson G, Manolescu A, Styrkarsdottir U, Helgadottir A, Gschwendtner A, Kostulas K, Kuhlenbäumer G, Bevan S, Jonsdottir T, Bjarnason H, Saemundsdottir J, Palsson S, Arnar DO, Holm H, Thorgeirsson G, Valdimarsson EM, Sveinbjörnsdottir S, Gieger C, Berger K, Wichmann HE, Hillert J, Markus H, Gulcher JR, Ringelstein EB, Kong A, Dichgans M, Gudbjartsson DF, Thorsteinsdottir U, Stefansson K: Risk variants for atrial fibrillation on 4q25 associate with ischemic stroke. **Ann Neurol** 64 (2008), 402-409 *

2009

- *Wang X, Cheng S, Brophy VH, Erlich HA, Mannhalter C, Berger K, Lalouschek W, Browner WS, Shi Y, Ringelstein EB, Kessler C, Luedemann J, Lindpaintner K, Liu L, Ridker PM, Zee RYL, Cook NR for the RMS Stroke SNP Consortium: A Meta-Analysis of Candidate Gene Polymorphisms and Ischemic Stroke in Six Study Populations: Association of Lymphotoxin-alpha in Non-hypertensive Patients. **Stroke** 40 (2009), 683-95 *
- Schneider K, Heise M, Heuschmann PU, Berger K: Lebens- und Versorgungssituation von Schlaganfallpatienten im 3-Monate-Follow-up des Qualitätssicherungsprojektes Nordwestdeutschland. **Nervenheilkunde** 28 (2009), 114-118
- *Gudbjartsson DF, Holm H, Gretarsdottir S, Thorleifsson G, Bragi Walters G, Thorgeirsson G, Gulcher J, Mathiesen EB, Njølstad I, Nyrnes A, Wilsgaard T, Hald EM, Hveem K, Stoltenberg C, Kucera G, Stubblefield T, Carter S, Roden D, Ng MCY, Baum L, So WY, Wong KS, Chan JCN, Gieger C, Wichmann HE, Gschwendtner A, Dichgans M, Kuhlenbäumer G, Berger K, Ringelstein EB, Bevan S, Markus HS, Kostulas K, Hillert J, Sveinbjörnsdottir S, Valdimarsson EM, Løchen ML, Ma RCW, Darbar D, Kong A, Arnar DO, Thorsteinsdottir U, Stefansson K: A sequence variant in ZFX3 on 16q22 associates with atrial fibrillation and ischemic stroke. **Nature Genetics** 41 (2009), 876-878 *

2010

- *Kuhlenbaeumer G, Hüge A, Berger K, Kessler C, Voelzke H, Funke H, Stoegbauer F, Stoll M, Ringelstein EB: Genetic variants in the C-reactive protein (CRP) gene are associated with microangiopathic ischemic stroke. **Cerebrovasc Dis** 30 (2010), 476-482 *
- Heuschmann PU, Busse O, Wagner, Endres M, Villringer A, Röther J, Kolominsky-Rabas PL, Berger K: Schlaganfallhäufigkeit und Versorgung von Schlaganfallpatienten in Deutschland **Akt Neurol** 37 (2010), 333-340

2011

- Minnerup J, Wersching H, Ringelstein EB, Schilling M, Schäbitz WR, Wellmann J, Berger K: The impact of the extended thrombolysis time window on the proportion of rt-PA treated stroke patients and on the door-to-needle time. **Stroke** 10 (2011), 2838-2843
- *Luke MM, Berger K, Rowland CM, Catanese JJ, Tong CH, Ross DA, Garcia V, Kuhlenbaeumer G, Ringelstein EB, Pullinger CR, Malloy MJ, Deedwania P, Ellis SG, Kane JP, Devlin JJ, Lalouschek W, Mannhalter C: Polymorphisms and Noncardioembolic Stroke in Three Case-Control Studies. **Cerebrovasc Dis** 33 (2011), 80-85 *

2012

- *Helgadottir A, Gretarsdottir S, Thorleifsson G, Holm H, Patel RS, Gudnason T, Jones GT, van Rij AM, Eapen DJ, Baas AF, Tregouet DA, Morange PE, Emmerich J, Lindblad B, Gottsäter A, Kiemeny LA, Lindholt JS, Sakalihasan N, Ferrell RE, Carey DJ, Elmore JR, Tsao PS, Grarup N, Jørgensen T, Witte DR, Hansen T, Pedersen O, Pola R, Gaetani E, Magnadottir HB, Wijmenga C, Tromp G, Ronkainen A, Ruigrok YM, Blankensteijn JD, Mueller T, Wells PS, Corral J, Soria JM, Souto JC, Peden JF, Jalilzadeh S, Mayosi BM, Keavney B, Strawbridge RJ, Sabater-Lleal M, Gertow K, Baldassarre D, Nyssönen K, Rauramaa R, Smit AJ, Mannarino E, Giral P, Tremoli E, de Faire U, Humphries SE, Hamsten A, Haraldsdottir V, Olafsson I, Magnusson MK, Samani NJ, Levey AI, Markus HS, Kostulas K, Dichgans M, Berger K, Kuhlenbäumer G, Ringelstein EB, Stoll M, Seedorf U, Rothwell PM, Powell JT, Kuivaniemi H, Onundarson PT, Valdimarsson E, Matthiasson SE, Gudbjartsson DF, Thorgeirsson G, Quyyumi AA, Watkins H, Farrall M, Thorsteinsdottir U, Stefansson K.: Sequence variants in apolipoprotein(a) gene associate with systemic atherosclerosis and coronary atherosclerotic burden but not with venous thromboembolism. **J Am Coll Cardiol** 21 (2012), 722-9. *
- *Traylor M, Farrall M, Holliday EG, Sudlow C, Hopewell JC, Cheng YC, Fornage M, Ikram MA, Malik R, Bevan S, Thorsteinsdottir U, Nalls MA, Longstreth W, Wiggins KL, Yadav S, Parati EA, Destefano AL, Worrall BB, Kittner SJ, Khan MS, Reiner AP, Helgadottir A, Achterberg S, Fernandez-Cadenas I, Abboud S, Schmidt R, Walters M, Chen WM, Ringelstein EB, O'Donnell M, Ho WK, Pera J, Lemmens R, Norrving B, Higgins P, Benn M, Sale M, Kuhlenbäumer G, Doney AS, Vicente AM, Delavaran H, Algra A, Davies G, Oliveira SA, Palmer CN, Deary I, Schmidt H, Pandolfo M, Montaner J, Carty C, de Bakker PI, Kostulas K, Ferro JM, van Zuydam NR, Valdimarsson E, Nordestgaard BG, Lindgren A, Thijs V, Slowik A, Saleheen D, Paré G, Berger K, Thorleifsson G; The Australian Stroke Genetics Collaborative, Wellcome Trust Case Control Consortium 2 (WTCCC2), Hofman A, Mosley TH, Mitchell BD, Furie K, Clarke R, Levi C, Seshadri S, Gschwendtner A, Boncoraglio GB, Sharma P, Bis JC, Gretarsdottir S, Psaty BM, Rothwell PM, Rosand J, Meschia JF, Stefansson K, Dichgans M, Markus HS; on behalf of the International Stroke Genetics Consortium. The METASTROKE Collaboration: Genome-wide Associations with Ischaemic Stroke and its Subtypes. **Lancet Neurology** 11 (2012), 951-962
- Hoffmann S, Malzahn U, Harms H, Koennecke HC, Berger K, Kalic M, Walter G, Meisel A, Heuschmann PU: Development of a clinical score (A2DS2) to predict pneumonia in acute ischemic stroke. **Stroke** 43 (2012), 2617-23
- Unrath M, Kalic M, Berger K: Liegezeit von Patienten mit ischämischem Hirninfarkt: 10-Jahres-Trends und Analyse der Einflussfaktoren. **Deutsch Med Wochenschr** 137 (2012), 1683-8

2013

- Unrath M, Kalic M, Berger K: Wer erhält eine Rehabilitation nach ischämischem Schlaganfall? Daten aus dem Qualitätssicherungsprojekt Nordwestdeutschland. **Dtsch Arztebl Int.** 110 (2013), 101-7

2014

- Unrath M, Wellmann J, Diederichs C, Binse L, Kalic M, Heuschmann PU, Berger K.: The Influence of Neighborhood Unemployment on Mortality after Stroke. **J Stroke Cerebrovasc Dis.** 23 (2014), 1529-36
- Minnerup J, Wersching H, Unrath M, Berger K: Effects of emergency medical service transport on acute stroke care. **Eur J Neurol** 21 (2014), 1344-7.
- Wiedmann S, Heuschmann PU, Hillmann S, Wiethölter H, Walter GM, Seidel G, Misselwitz B, Janssen A, Berger K, Burmeister C, Matthis C, Kolominsky-Rabas P, Hermanek P for the German Stroke Registers Study Group (ADSR). The quality of acute stroke care- an analysis of evidence-based indicators in 260 000 patients. **Dtsch Arztebl Int.** 111 (2014), 759-65

2015

- Minnerup J, Wersching H, Unrath M, Berger K: Explaining the Decrease of In-Hospital Mortality from Ischemic Stroke. **PLoS ONE** 10(2015), e0131473. doi:10.1371/journal.pone.0131473

2016

- Arning A, Jeibmann A, Köhnemann S, Brokinkel B, Ewelt C, Berger K, Wellmann J, Nowak-Göttl U, Stummer W, Stoll M, Holling M: ADAMTS-genes and risk of cerebral aneurysm. **Journal of Neurosurgery** 8 (2016), 1-6
- Minnerup J, Wersching H, Teuber A, Wellmann J, Eyding J, Weber R, Reimann G, Weber W, Krause LU, Kurth T, Berger K. Outcome After Thrombectomy and Intravenous Thrombolysis in Patients With Acute Ischemic Stroke: A Prospective Observational Study. **Stroke** 47 (2016),1584-92.
- Weber R, Nordmeyer H, Hadisurya J, , Heddier M, Stauder M, Stracke P, Berger K, Chapot R,: Comparison of outcome and interventional complication rate in acute stroke patients treated with mechanical thrombectomy with and without bridging thrombolysis. **Journal of NeuroInterv Surg** (2016), doi: 10.1136/neurintsurg-2015-012236
- Weber R, Reimann G, Weimar C, Winkler A, Berger K, Nordmeyer H, Hadisurya J, Brassel F, Kitzrow M, Krogias C, Weber W, Busch EW, Eyding J on behalf of the Neurovascular Net Ruhr: Outcome and periprocedural time management in referred *versus* directly admitted stroke patients treated with thrombectomy. **Ther Adv Neurol Disord** 9 (2016),79-84.
- *Malik R, Traylor M, Pulit SL, Bevan S, Hopewell JC, Holliday EG, Zhao W, Abrantes P, Amouyel P, Attia JR, Battey TW, Berger K, Boncoraglio GB, Chauhan G, Cheng YC, Chen WM, Clarke R, Cotlarciuc I, Debette S, Falcone GJ, Ferro JM, Gamble DM, Ilinca A, Kittner SJ, Kourkoulis CE, Lemmens R, Levi CR, Lichtner P, Lindgren A, Liu J, Meschia JF, Mitchell BD, Oliveira SA, Pera J, Reiner AP, Rothwell PM, Sharma P, Slowik A, Sudlow CL, Tatlisumak T, Thijs V, Vicente AM, Woo D, Seshadri S, Saleheen D, Rosand J, Markus HS, Worrall BB, Dichgans M; ISGC Analysis Group; METASTROKE collaboration; Wellcome Trust Case Control Consortium 2 (WTCCC2); NINDS Stroke Genetics Network (SiGN): Low-frequency and common genetic variation in ischemic stroke: The METASTROKE collaboration. **Neurology** 86 (2016),1217-26

2017

- Nordmeyer H, Webering N, Chapot R, Hadisurya J, Heddier M, Stracke P, Berger K, Isenmann S, Weber R: The association between collateral status, recanalization and long term outcome in stroke patients treated with stent retrievers – Are there indications not to perform thrombectomy based on CT angiography? **NeuRad** 44 (2017), 217-222

- *Malik R, Dau T, Gonika M, Sivakumar A, Deredge D, Edeleva EV, Götzfried J, Beaufort N, Seixas S, Bevan S, Lincz LF, Holliday EG, Burgess AI, Rannikmäe K, Minnerup J, Kriebel J, Waldenberger M, Müller-Nurasyid M, Lichtner P, Saleheen D, International Stroke Genetics Consortium, Rothwell PM, Levi C, Attia J, Sudlow CM, Braun D, Markus HS, Wintrode PL, Berger K, Jenne DE, Dichgans M: A common coding variant in SERPINA1 increases the risk for large artery stroke. **Proc Natl Acad Sci U S A**, 114(2017), 3613-3618
- Rannikmäe K, Sivakumaran V, Millar H, Malik R, Anderson CD, Chong M, Dave T, Falcone GJ, Fernandez-Cadenas I, Jimenez-Conde J, Lindgren A, Montaner J, O'Donnell M, Paré G, Radmanesh F, Rost NS, Slowik A, Söderholm M, Traylor M, Pulit SL, Seshadri S, Worrall BB, Woo D, Markus HS, Mitchell BD, Dichgans M, Rosand J, Sudlow CLM; Stroke Genetics Network (SiGN), METASTROKE Collaboration, and International Stroke Genetics Consortium (ISGC): COL4A2 is associated with lacunar ischemic stroke and deep ICH: Meta-analyses among 21,500 cases and 40,600 controls. **Neurology** 89 (2017), 1829-1839
- Hillmann S, Wiedmann S, Rücker V, Berger K, Nabavi D, Bruder I, Koennecke HC, Seidel G, Misselwitz B, Janssen A, Burmeister C, Matthis C, Busse O, Hermanek P, Heuschmann PU on behalf of the German Stroke Register Study Group (ADSR): Stroke unit care in germany: the german stroke registers study group (ADSR). **BMC Neurol** (2017) 17:49, DOI 10.1186/s12883-017-0819-0
- Bellwald S, Weber R, Dobrocky T, Nordmeyer H, Jung S, Hadisurya J, Mordasini P, Mono ML, Stracke P, Sarikaya H, Bernasconi C, Berger K, Arnold M, Chapot R, Gralla J, Fischer U: Direct mechanical intervention versus bridging therapy in stroke patients eligible for intravenous thrombolysis: a pooled analysis of two registries. **Stroke** 48 (2017), 3282-3288

2018

- Suntrup-Krueger S, Minnerup J, Muhle P, Claus I, Schroeder C, Marian T, Warnecke T, Kalic M, Berger K, Dziewas R: The effect of improved dysphagia care on outcome in patients with acute stroke - trends from 8-year data of a large stroke register. **J Cerebrovasc Dis** 45 (2018), 101-108

2019

- Weber R, Minnerup J, Nordmeyer H, Eyding J, Krogias C, Hadisurya J, Berger K; REVASK Investigators: Thrombectomy in posterior circulation stroke: differences in procedures and outcome compared to anterior circulation stroke in the prospective multicentre REVASK registry. **Eur J Neurol**. 26(2019), 299-305
- Hoepner R, Weber, Reimann G, Berger K, Kitzrow M, Fischer S, Weimar, Eyding J, Krogias C: Stroke admission outside daytime working hours delays mechanical thrombectomy and worsens outcome. **Int J Stroke** 14 (2019), 517-521.

2020

- Misselwitz B, Grau A, Berger K, Bruder I, Burmeister C, Hermanek P, Hohnhold R, Koennecke HC, Matthis C, Heuschmann PU. Versorgungsqualität des akuten ischämischen Schlaganfalls in Deutschland 2018. **Nervenarzt** (2020), doi: 10.1007/s00115-020-00908-x
- Haas K, Rücker V, Hermanek P, Misselwitz B, Berger K, Seidel G, Janssen A, Rode S, Burmeister C, Matthis C, Koennecke HC, Heuschmann P, on behalf of the German Stroke Register Study Group (ADSR): Association between adherence to quality indicators and early mortality after ischemic stroke: the German Stroke Registers Study Group (ADSR). **Stroke** doi: 10.1161/STROKEAHA.120.029968

2021

- Bonkhoff A, Karch A, Weber R, Wellmann J, Berger K: The female stroke - sex differences in acute treatment and early outcomes of acute ischemic stroke. **Stroke** 52(2021), 406-415. doi: 10.1161/STROKEAHA.120.032850.

- Droste DW, Petra Bardea P, Bravo A, Costache O, Hoffmann M, Metz RJ, McIntyre D, Pincherle A, Reiff M, Schloesser B, Berger K: Stroke and TIA care in Luxemburg 2019. **Bulletin de la Société des Sciences Médicales du Grand-Duché de Luxembourg** 1(2021), 55-66
- Geraedts M, Ebbeler D, Timmesfeld N, Kaps M, Berger K, Misselwitz B, Günster C, Dröge P, Schneider M. Quality Assurance Measures and Mortality After Stroke-a Retrospective Cohort Study. **Dtsch Arztebl Int.** (2021), doi: 10.3238/arztebl.m2021.0339
- Ebbeler D, Schneider M, Busse O, Berger K, Dröge P, Günster C, Kaps M, Misselwitz B, Timmesfeld N, Geraedts M: Spezialisierung der Schlaganfallversorgung in Deutschland: Strukturveränderungen im Zeitraum von 2006–2017. **Gesundheitswesen.** 2021 Dec 23. doi: 10.1055/a-1690-6786

2022

- Bonkhoff A, Rübsamen N, Grefkes C, Rost N, Berger K, Karch A: Development and validation of prediction models for four severe outcomes after acute ischemic stroke – a study based on the Stroke Registry of Northwestern Germany. **J Am Heart Assoc** (2022) 11:6, doi: 10.1161/JAHA.121.023175
- Brunssen A, Rücker V, Heuschmann P, Held J, Hermanek P, Berlis A, Hecht M, Berger K: Stroke care during the COVID-19 pandemic: Case numbers, treatments, and mortality in two large German stroke registries. **Front Neurol** (2022) 13:924271, doi: 10.3389/fneur.2022.924271
- Geraedts M, Ebbeler D, Timmesfeld N, Kaps M, Berger K, Misselwitz B, Günster C, Dröge P, Schneider M: Long-term outcomes of stroke unit care in older stroke patients: A retrospective cohort study. **Age and Ageing** (2022) 51: 1–7, doi: 10.1093/ageing/afac197
- Dasch B, Berger K, Lenz P, Brunssen A. Frequency of discharge of hospitalized patients with stroke to free-standing hospice facilities — a register study from Germany. **Ann Palliat Med** (2022) apm-22-418. doi: 10.21037/apm-22-418